

## Julkaisuluettelo Riitta Luoto (Riitta M Luoto) 1992-2022

Tieteelliset alkuperäisjulkaisut: 140

1: Kinnunen T, Liu Y, Koivisto AM, Virtanen S, Luoto R. Effects of dietary counselling on micronutrient intakes in pregnant women in Finland. *Matern Child Nutr.* 2021 Oct;17(4):e13203. doi: 10.1111/mcn.13203. Epub 2021 Jun 19. PMID: 34145734; PMCID: PMC8476417.

2: Aho S, Vuoristo MS, Raitanen J, Mansikkamäki K, Alanko J, Vähä-Ypyä H, Luoto R, Kellokumpu-Lehtinen PL, Vasankari T. Higher number of steps and breaks during sedentary behaviour are associated with better lipid profiles. *BMC Public Health.* 2021 Mar 31;21(1):629. doi: 10.1186/s12889-021-10656-5. PMID: 33789632; PMCID: PMC8010961.

3: Tuominen PPA, Raitanen J, Husu P, Luoto RM, Kujala UM. Relationship between mothers' enjoyment and sedentary behavior and physical activity of mother-child dyads using a movement-to-music video program: a secondary analysis of a randomized controlled trial. *BMC Public Health.* 2020 Nov 4;20(1):1659. doi: 10.1186/s12889-020-09773-4. PMID: 33148211; PMCID: PMC7640412.

4: Bastola K, Koponen P, Härkänen T, Luoto R, Gissler M, Kinnunen TI. Pregnancy complications in women of Russian, Somali, and Kurdish origin and women in the general population in Finland. *Womens Health (Lond).* 2020 Jan-Dec;16:1745506520910911. doi: 10.1177/1745506520910911. PMID: 32294026; PMCID: PMC7160768.

5: Leppänen MH, Raitanen J, Husu P, Kujala UM, Tuominen PP, Vähä-Ypyä H, Luoto R. Physical Activity and Body Composition in Children and Their Mothers According to Mother's Gestational Diabetes Risk: A Seven-Year Follow-Up Study. *Medicina (Kaunas).* 2019 Sep 25;55(10):635. doi: 10.3390/medicina55100635. PMID: 31557895; PMCID: PMC6843146.

6: Rogozińska E, Zamora J, Marlin N, Betrán AP, Astrup A, Bogaerts A, Cecatti JG, Dodd JM, Facchinetti F, Geiker NRW, Haakstad LAH, Hauner H, Jensen DM, Kinnunen TI, Mol BWJ, Owens J, Phelan S, Renault KM, Salvesen KÅ, Shub A, Surita FG, Stafne SN, Teede H, van Poppel MNM, Vinter CA, Khan KS, Thangaratinam S; International Weight Management in Pregnancy (i-WIP) Collaborative Group. Gestational weight gain outside the Institute of Medicine recommendations and adverse pregnancy outcomes: analysis using individual participant data from randomised trials. *BMC Pregnancy Childbirth.* 2019 Sep 2;19(1):322. doi: 10.1186/s12884-019-2472-7. PMID: 31477075; PMCID: PMC6719382.

7: Alosaimi AN, Nwaru B, Luoto R, Al Serouri AW, Mouniri H. Using Household Socioeconomic Indicators to Predict the Utilization of Maternal and Child Health Services Among Reproductive-Aged Women in Rural Yemen. *Glob Pediatr Health.* 2019 Aug 6;6:2333794X19868926. doi: 10.1177/2333794X19868926. PMID: 31431905; PMCID: PMC6686312.

8: O'Brien EC, Segurado R, Geraghty AA, Alberdi G, Rogozinska E, Astrup A, Barakat Carballo R, Bogaerts A, Cecatti JG, Coomarasamy A, de Groot CJM, Devlieger R, Dodd JM, El Beltagy N, Facchinetti F, Geiker N, Guelfi K, Haakstad L, Harrison C, Hauner H, Jensen DM, Khan K, Kinnunen TI, Luoto R, Willem Mol B, Mørkved S, Motahari-Tabari N, Owens JA, Perales M, Petrella E, Phelan S, Poston L, Rauh K, Rayanagoudar G, Renault KM, Ruifrok AE, Sagedal L, Salvesen KÅ,

Scudeller TT, Shen G, Shub A, Stafne SN, Surita FG, Thangaratinam S, Tonstad S, van Poppel MNM, Vinter C, Vistad I, Yeo S, McAuliffe FM; i-WIP (International Weight Management in Pregnancy) Collaborative Group. Impact of maternal education on response to lifestyle interventions to reduce gestational weight gain: individual participant data meta-analysis. *BMJ Open*. 2019 Aug 1;9(8):e025620. doi: 10.1136/bmjopen-2018-025620. PMID: 31375602; PMCID: PMC6688690.

9: Bastola K, Koponen P, Härkänen T, Luoto R, Gissler M, Kinnunen TI. Delivery and its complications among women of Somali, Kurdish, and Russian origin, and women in the general population in Finland. *Birth*. 2019 Mar;46(1):35-41. doi: 10.1111/birt.12357. Epub 2018 May 20. PMID: 29781088.

10: Tuominen PPA, Raitanen J, Husu P, Kujala UM, Luoto RM. The effects of mothers' musical background on sedentary behavior, physical activity, and exercise adherence in their 5-6-years-old children using movement-to-music video program. *PLoS One*. 2018 Apr 18;13(4):e0195837. doi: 10.1371/journal.pone.0195837. PMID: 29668726; PMCID: PMC5905892.

11: Mustila T, Raitanen J, Keskinen P, Luoto R. A pragmatic controlled trial to prevent childhood obesity within a risk group at maternity and child health-care clinics: results up to six years of age (the VACOPP study). *BMC Pediatr*. 2018 Feb 27;18(1):89. doi: 10.1186/s12887-018-1065-3. PMID: 29486763; PMCID: PMC5828437.

12: Tuominen PPA, Husu P, Raitanen J, Kujala UM, Luoto RM. The effect of a movement-to-music video program on the objectively measured sedentary time and physical activity of preschool-aged children and their mothers: A randomized controlled trial. *PLoS One*. 2017 Aug 31;12(8):e0183317. doi: 10.1371/journal.pone.0183317. PMID: 28859091; PMCID: PMC5578653.

13: Rogozińska E, Marlin N, Jackson L, Rayanagoudar G, Ruifrok AE, Dodds J, Molyneaux E, van Poppel MN, Poston L, Vinter CA, McAuliffe F, Dodd JM, Owens J, Barakat R, Perales M, Cecatti JG, Surita F, Yeo S, Bogaerts A, Devlieger R, Teede H, Harrison C, Haakstad L, Shen GX, Shub A, Beltagy NE, Motahari N, Khoury J, Tonstad S, Luoto R, Kinnunen TI, Guelfi K, Facchinetti F, Petrella E, Phelan S, Scudeller TT, Rauh K, Hauner H, Renault K, de Groot CJ, Sagedal LR, Vistad I, Stafne SN, Mørkved S, Salvesen KÅ, Jensen DM, Vitolo M, Astrup A, Geiker NR, Kerry S, Barton P, Roberts T, Riley RD, Coomarasamy A, Mol BW, Khan KS, Thangaratinam S. Effects of antenatal diet and physical activity on maternal and fetal outcomes: individual patient data meta-analysis and health economic evaluation. *Health Technol Assess*. 2017 Aug;21(41):1-158. doi: 10.3310/hta21410. PMID: 28795682; PMCID: PMC5572115.

14: International Weight Management in Pregnancy (i-WIP) Collaborative Group. Effect of diet and physical activity based interventions in pregnancy on gestational weight gain and pregnancy outcomes: meta-analysis of individual participant data from randomised trials. *BMJ*. 2017 Jul 19;358:j3119. doi: 10.1136/bmj.j3119. Erratum in: *BMJ*. 2017 Aug 23;358:j3991. PMID: 28724518; PMCID: PMC6887834.

15: Chorell E, Hall UA, Gustavsson C, Berntorp K, Puhkala J, Luoto R, Olsson T, Holmäng A. Pregnancy to postpartum transition of serum metabolites in women with gestational diabetes. *Metabolism*. 2017 Jul;72:27-36. doi: 10.1016/j.metabol.2016.12.018. Epub 2017 Jan 4. PMID: 28641781.

16: Puhkala J, Raitanen J, Kolu P, Tuominen P, Husu P, Luoto R. Metabolic syndrome in Finnish women 7 years after a gestational diabetes prevention trial. *BMJ Open*. 2017 Mar 15;7(3):e014565. doi: 10.1136/bmjopen-2016-014565. PMID: 28298369; PMCID: PMC5353289.

17: Dodd JM, Grivell RM, Louise J, Deussen AR, Giles L, Mol BW, Vinter C, Tanvig M, Jensen DM, Bogaerts A, Devlieger R, Luoto R, McAuliffe F, Renault K, Carlsen E, Geiker N, Poston L, Briley A, Thangaratinam S, Rogozinska E, Owens JA. The effects of dietary and lifestyle interventions among pregnant women who are overweight or obese on longer-term maternal and early childhood outcomes: protocol for an individual participant data (IPD) meta-analysis. *Syst Rev*. 2017 Mar 9;6(1):51. doi: 10.1186/s13643-017-0442-6. PMID: 28274270; PMCID: PMC5343397.

18: Kolu P, Raitanen J, Puhkala J, Tuominen P, Husu P, Luoto R. Effectiveness and Cost-Effectiveness of a Cluster-Randomized Prenatal Lifestyle Counseling Trial: A Seven-Year Follow-Up. *PLoS One*. 2016 Dec 9;11(12):e0167759. doi: 10.1371/journal.pone.0167759. PMID: 27936083; PMCID: PMC5147978.

19: Barban N, Jansen R, de Vlaming R, Vaez A, Mandemakers JJ, Tropf FC, Shen X, Wilson JF, Chasman DI, Nolte IM, Tragante V, van der Laan SW, Perry JR, Kong A; BIOS Consortium, Ahluwalia TS, Albrecht E, Yerges-Armstrong L, Atzmon G, Auro K, Ayers K, Bakshi A, Ben-Avraham D, Berger K, Bergman A, Bertram L, Bielak LF, Bjornsdottir G, Bonder MJ, Broer L, Bui M, Barbieri C, Cavadino A, Chavarro JE, Turman C, Concas MP, Cordell HJ, Davies G, Eibich P, Eriksson N, Esko T, Eriksson J, Falahi F, Felix JF, Fontana MA, Franke L, Gandin I, Gaskins AJ, Gieger C, Gunderson EP, Guo X, Hayward C, He C, Hofer E, Huang H, Joshi PK, Kanoni S, Karlsson R, Kiechl S, Kifley A, Kluttig A, Kraft P, Lagou V, Lecoeur C, Lahti J, Li-Gao R, Lind PA, Liu T, Makalic E, Mamasoula C, Matteson L, Mbarek H, McArdle PF, McMahon G, Meddens SF, Mihailov E, Miller M, Missmer SA, Monnereau C, van der Most PJ, Myhre R, Nalls MA, Nutile T, Kalafati IP, Porcu E, Prokopenko I, Rajan KB, Rich-Edwards J, Rietveld CA, Robino A, Rose LM, Rueedi R, Ryan KA, Saba Y, Schmidt D, Smith JA, Stolk L, Streeten E, Tönjes A, Thorleifsson G, Ulivi S, Wedenoja J, Wellmann J, Willeit P, Yao J, Yengo L, Zhao JH, Zhao W, Zernakova DV, Amin N, Andrews H, Balkau B, Barzilai N, Bergmann S, Biino G, Bisgaard H, Bønnelykke K, Boomsma DI, Buring JE, Campbell H, Cappellani S, Ciullo M, Cox SR, Cucca F, Toniolo D, Davey-Smith G, Deary IJ, Dedoussis G, Deloukas P, van Duijn CM, de Geus EJ, Eriksson JG, Evans DA, Faul JD, Sala CF, Froguel P, Gasparini P, Girotto G, Grabe HJ, Greiser KH, Groenen PJ, de Haan HG, Haerting J, Harris TB, Heath AC, Heikkilä K, Hofman A, Homuth G, Holliday EG, Hopper J, Hyppönen E, Jacobsson B, Jaddoe VW, Johannesson M, Jugessur A, Kähönen M, Kajantie E, Kardina SL, Keavney B, Kolcic I, Koponen P, Kovacs P, Kronenberg F, Kutalik Z, La Bianca M, Lachance G, Iacono WG, Lai S, Lehtimäki T, Liewald DC; Lifelines Cohort Study, Lindgren CM, Liu Y, Luben R, Lucht M, Luoto R, Magnus P, Magnusson PK, Martin NG, McGue M, McQuillan R, Medland SE, Meisinger C, Mellström D, Metspalu A, Traglia M, Milani L, Mitchell P, Montgomery GW, Mook-Kanamori D, de Mutsert R, Nohr EA, Ohlsson C, Olsen J, Ong KK, Paternoster L, Pattie A, Penninx BW, Perola M, Peyser PA, Pirastu M, Polasek O, Power C, Kaprio J, Raffe LJ, Rääkkönen K, Raitakari O, Ridker PM, Ring SM, Roll K, Rudan I, Ruggiero D, Rujescu D, Salomaa V, Schlessinger D, Schmidt H, Schmidt R, Schupf N, Smit J, Sorice R, Spector TD, Starr JM, Stöckl D, Strauch K, Stumvoll M, Swertz MA, Thorsteinsdottir U, Thurik AR, Timpson NJ, Tung JY, Uitterlinden AG, Vaccargiu S, Viikari J, Vitart V, Völzke H, Vollenweider P, Vuckovic D, Waage J, Wagner GG, Wang JJ, Wareham NJ, Weir DR, Willemssen G, Willeit J, Wright AF, Zondervan KT, Stefansson K, Krueger RF, Lee JJ, Benjamin DJ, Cesarini D, Koellinger PD, den Hoed M, Snieder H, Mills MC. Genome-wide analysis identifies 12 loci influencing human reproductive behavior. *Nat Genet*. 2016

Dec;48(12):1462-1472. doi: 10.1038/ng.3698. Epub 2016 Oct 31. PMID: 27798627; PMCID: PMC5695684.

20: Mansikkamäki K, Nygård CH, Raitanen J, Kukkonen-Harjula K, Tomás E, Rutanen R, Luoto R. Hot flushes among aging women: A 4-year follow-up study to a randomised controlled exercise trial. *Maturitas*. 2016 Jun;88:84-9. doi: 10.1016/j.maturitas.2016.03.010. Epub 2016 Mar 24. PMID: 27105704.

21: Flynn AC, Dalrymple K, Barr S, Poston L, Goff LM, Rogozińska E, van Poppel MN, Rayanagoudar G, Yeo S, Barakat Carballo R, Perales M, Bogaerts A, Cecatti JG, Dodd J, Owens J, Devlieger R, Teede H, Haakstad L, Motahari-Tabari N, Tonstad S, Luoto R, Guelfi K, Petrella E, Phelan S, Scudeller TT, Hauner H, Renault K, Sagedal LR, Stafne SN, Vinter C, Astrup A, Geiker NR, McAuliffe FM, Mol BW, Thangaratinam S; i-WIP (International Weight Management in Pregnancy) Collaborative Group. Dietary interventions in overweight and obese pregnant women: a systematic review of the content, delivery, and outcomes of randomized controlled trials. *Nutr Rev*. 2016 May;74(5):312-28. doi: 10.1093/nutrit/nuw005. PMID: 27083868.

22: Alosaimi AN, Luoto R, Al Serouri AW, Nwaru BI, Mouniri H. Measures of Maternal Socioeconomic Status in Yemen and Association with Maternal and Child Health Outcomes. *Matern Child Health J*. 2016 Feb;20(2):386-97. doi: 10.1007/s10995-015-1837-4. PMID: 26530035.

23: Tuominen PP, Husu P, Raitanen J, Luoto RM. Differences in sedentary time and physical activity among mothers and children using a movement-to-music video program in the home environment: a pilot study. *Springerplus*. 2016 Jan 28;5:93. doi: 10.1186/s40064-016-1701-z. PMID: 26848433; PMCID: PMC4729752.

24: Tiainen S, Luoto R, Ahotupa M, Raitanen J, Vasankari T. 6-mo aerobic exercise intervention enhances the lipid peroxide transport function of HDL. *Free Radic Res*. 2016;50(11):1279-1285. doi: 10.1080/10715762.2016.1252040. Epub 2016 Nov 23. PMID: 27776442.

25: Rogozinska E, D'Amico MI, Khan KS, Cecatti JG, Teede H, Yeo S, Vinter CA, Rayanagoudar G, Barakat R, Perales M, Dodd JM, Devlieger R, Bogaerts A, van Poppel MN, Haakstad L, Shen GX, Shub A, Luoto R, Kinnunen TI, Phelan S, Poston L, Scudeller TT, El Beltagy N, Stafne SN, Tonstad S, Geiker NR, Ruirok AE, Mol BW, Coomarasamy A, Thangaratinam S; International Weight Management in Pregnancy (iWIP) Collaborative Group. Development of composite outcomes for individual patient data (IPD) meta-analysis on the effects of diet and lifestyle in pregnancy: a Delphi survey. *BJOG*. 2016 Jan;123(2):190-8. doi: 10.1111/1471-0528.13764. PMID: 26841002.

26: Kinnunen TI, Luoto R, Helin A, Hemminki E. Supplemental iron intake and the risk of glucose intolerance in pregnancy: re-analysis of a randomised controlled trial in Finland. *Matern Child Nutr*. 2016 Jan;12(1):74-84. doi: 10.1111/mcn.12139. Epub 2014 Jul 4. PMID: 24995700; PMCID: PMC6860106.

27: Sarkeala T, Heinävaara S, Fredman J, Männistö S, Luoto R, Jäntti M, Malila N. Design and respondent selection of a population-based study on associations between breast cancer screening, lifestyle and quality of life. *BMC Public Health*. 2015 Dec 18;15:1256. doi: 10.1186/s12889-015-2603-7. PMID: 26684747; PMCID: PMC4684601.

28: Tuominen PP, Husu P, Raitanen J, Luoto RM. Rationale and methods for a randomized controlled trial of a movement-to-music video program for decreasing sedentary time among mother-child pairs. *BMC Public Health*. 2015 Oct 5;15:1016. doi: 10.1186/s12889-015-2347-4. PMID: 26438056; PMCID: PMC4595194.

29: Mansikkamäki K, Raitanen J, Nygård CH, Tomás E, Rutanen R, Luoto R. Long-term effect of physical activity on health-related quality of life among menopausal women: a 4-year follow-up study to a randomised controlled trial. *BMJ Open*. 2015 Sep 11;5(9):e008232. doi: 10.1136/bmjopen-2015-008232. Erratum in: *BMJ Open*. 2016;6(1):e008232corr1. PMID: 26362664; PMCID: PMC4567675.

30: Kolu P, Raitanen J, Nygård CH, Tomás E, Luoto R. Cost-effectiveness of physical activity among women with menopause symptoms: findings from a randomised controlled trial. *PLoS One*. 2015 Aug 10;10(8):e0135099. doi: 10.1371/journal.pone.0135099. PMID: 26258804; PMCID: PMC4530885.

31: Ruifrok AE, Rogozinska E, van Poppel MN, Rayanagoudar G, Kerry S, de Groot CJ, Yeo S, Molyneaux E, Barakat Carballo R, Perales M, Bogaerts A, Cecatti JG, Surita F, Dodd J, Owens J, El Beltagy N, Devlieger R, Teede H, Harrison C, Haakstad L, Shen GX, Shub A, Motahari N, Khoury J, Tonstad S, Luoto R, Kinnunen TI, Guelfi K, Facchinetti F, Petrella E, Phelan S, Scudeller TT, Rauh K, Hauner H, Renault K, Sagedal LR, Vistad I, Stafne SN, Mørkved S, Salvesen KÅ, Vinter C, Vitolo M, Astrup A, Geiker NR, McAuliffe F, Poston L, Roberts T, Riley RD, Coomarasamy A, Khan KS, Mol BW, Thangaratinam S. Erratum to: Study protocol: differential effects of diet and physical activity based interventions in pregnancy on maternal and fetal outcomes: individual patient data (IPD) meta-analysis and health economic evaluation. *Syst Rev*. 2015 Jul 30;4:101. doi: 10.1186/s13643-015-0079-2. Erratum for: *Syst Rev*. 2014;3:131. PMID: 26272207; PMCID: PMC4535827.

32: Borodulin K, Kärki A, Laatikainen T, Peltonen M, Luoto R. Daily Sedentary Time and Risk of Cardiovascular Disease: The National FINRISK 2002 Study. *J Phys Act Health*. 2015 Jul;12(7):904-8. doi: 10.1123/jpah.2013-0364. Epub 2014 Aug 22. PMID: 25153761.

33: Mansikkamäki K, Raitanen J, Malila N, Sarkeala T, Männistö S, Fredman J, Heinävaara S, Luoto R. Physical activity and menopause-related quality of life - a population-based cross-sectional study. *Maturitas*. 2015 Jan;80(1):69-74. doi: 10.1016/j.maturitas.2014.09.009. Epub 2014 Sep 30. PMID: 25449820.

34: Rutanen R, Luoto R, Raitanen J, Mansikkamäki K, Tomás E, Nygård CH. Short- and Long-term Effects of a Physical Exercise Intervention on Work Ability and Work Strain in Symptomatic Menopausal Women. *Saf Health Work*. 2014 Dec;5(4):186-90. doi: 10.1016/j.shaw.2014.08.003. Epub 2014 Sep 16. PMID: 25516810; PMCID: PMC4266772.

35: Ruifrok AE, Rogozinska E, van Poppel MN, Rayanagoudar G, Kerry S, de Groot CJ, Yeo S, Molyneaux E, McAuliffe FM, Poston L, Roberts T, Riley RD, Coomarasamy A, Khan K, Mol BW, Thangaratinam S; i-WIP (International Weight Management in Pregnancy) Collaborative Group. Study protocol: differential effects of diet and physical activity based interventions in pregnancy on maternal and fetal outcomes--individual patient data (IPD) meta-analysis and health economic evaluation. *Syst Rev*. 2014 Nov 4;3:131. doi: 10.1186/2046-4053-3-131. Erratum in: *Syst Rev*. 2015;4:101. PMID: 25370505; PMCID: PMC4228083.

- 36: Leppänen M, Aittasalo M, Raitanen J, Kinnunen TI, Kujala UM, Luoto R. Physical activity during pregnancy: predictors of change, perceived support and barriers among women at increased risk of gestational diabetes. *Matern Child Health J.* 2014 Nov;18(9):2158-66. doi: 10.1007/s10995-014-1464-5. PMID: 24615354.
- 37: Kolu P, Raitanen J, Luoto R. Physical activity and health-related quality of life during pregnancy: a secondary analysis of a cluster-randomised trial. *Matern Child Health J.* 2014 Nov;18(9):2098-105. doi: 10.1007/s10995-014-1457-4. PMID: 24585400.
- 38: Toffol E, Koponen P, Luoto R, Partonen T. Pubertal timing, menstrual irregularity, and mental health: results of a population-based study. *Arch Womens Ment Health.* 2014 Apr;17(2):127-35. doi: 10.1007/s00737-013-0399-y. Epub 2013 Nov 26. PMID: 24276415.
- 39: Rutanen R, Nygård CH, Moilanen J, Mikkola T, Raitanen J, Tomas E, Luoto R. Effect of physical exercise on work ability and daily strain in symptomatic menopausal women: a randomized controlled trial. *Work.* 2014;47(2):281-6. doi: 10.3233/WOR-121586. PMID: 23324726.
- 40: Puhkala J, Luoto R, Ahotupa M, Raitanen J, Vasankari T. Postpartum weight retention is associated with elevated ratio of oxidized LDL lipids to HDL-cholesterol. *Lipids.* 2013 Dec;48(12):1227-35. doi: 10.1007/s11745-013-3852-9. PMID: 24122103.
- 41: Toffol E, Merikanto I, Lahti T, Luoto R, Heikinheimo O, Partonen T. Evidence for a relationship between chronotype and reproductive function in women. *Chronobiol Int.* 2013 Jul;30(6):756-65. doi: 10.3109/07420528.2012.763043. Epub 2013 Jun 10. PMID: 23750897.
- 42: Mustila T, Raitanen J, Keskinen P, Saari A, Luoto R. Pragmatic controlled trial to prevent childhood obesity in maternity and child health care clinics: pregnancy and infant weight outcomes (the VACOPP Study). *BMC Pediatr.* 2013 May 20;13:80. doi: 10.1186/1471-2431-13-80. PMID: 23688259; PMCID: PMC3664621.
- 43: Elme A, Utriainen M, Kellokumpu-Lehtinen P, Palva T, Luoto R, Nikander R, Huovinen R, Kautiainen H, Järvenpää S, Penttinen HM, Vehmanen L, Jääskeläinen AS, Ruohola J, Blomqvist C, Saarto T. Obesity and physical inactivity are related to impaired physical health of breast cancer survivors. *Anticancer Res.* 2013 Apr;33(4):1595-602. PMID: 23564803.
- 44: Luoto R, Mottola MF, Hilakivi-Clarke L. Pregnancy and lifestyle: short- and long-term effects on mother's and her children's health. *J Pregnancy.* 2013;2013:537526. doi: 10.1155/2013/537526. Epub 2013 May 28. PMID: 23781339; PMCID: PMC3679770.
- 45: Puhkala J, Kinnunen TI, Vasankari T, Kukkonen-Harjula K, Raitanen J, Luoto R. Prevalence of metabolic syndrome one year after delivery in Finnish women at increased risk for gestational diabetes mellitus during pregnancy. *J Pregnancy.* 2013;2013:139049. doi: 10.1155/2013/139049. Epub 2013 Mar 20. PMID: 23577256; PMCID: PMC3616344.
- 46: Kolu P, Raitanen J, Rissanen P, Luoto R. Cost-effectiveness of lifestyle counselling as primary prevention of gestational diabetes mellitus: findings from a cluster-randomised trial. *PLoS One.* 2013;8(2):e56392. doi: 10.1371/journal.pone.0056392. Epub 2013 Feb 15. PMID: 23457562; PMCID:

PMC3574155.

47: Hemminki E, Regushevskaya E, Luoto R, Veerus P. Variability of bothersome menopausal symptoms over time--a longitudinal analysis using the Estonian postmenopausal hormone therapy trial (EPHT). *BMC Womens Health*. 2012 Dec 21;12:44. doi: 10.1186/1472-6874-12-44. PMID: 23259658; PMCID: PMC3542280.

48: Kinnunen TI, Raitanen J, Aittasalo M, Luoto R. Preventing excessive gestational weight gain--a secondary analysis of a cluster-randomised controlled trial. *Eur J Clin Nutr*. 2012 Dec;66(12):1344-50. doi: 10.1038/ejcn.2012.146. PMID: 23211656.

49: Toffol E, Heikinheimo O, Koponen P, Luoto R, Partonen T. Further evidence for lack of negative associations between hormonal contraception and mental health. *Contraception*. 2012 Nov;86(5):470-80. doi: 10.1016/j.contraception.2012.02.014. Epub 2012 Mar 31. PMID: 22465115.

50: Helin A, Kinnunen TI, Raitanen J, Ahonen S, Virtanen SM, Luoto R. Iron intake, haemoglobin and risk of gestational diabetes: a prospective cohort study. *BMJ Open*. 2012 Sep 25;2(5):e001730. doi: 10.1136/bmjopen-2012-001730. PMID: 23015603; PMCID: PMC3467630.

51: Aittasalo M, Raitanen J, Kinnunen TI, Ojala K, Kolu P, Luoto R. Is intensive counseling in maternity care feasible and effective in promoting physical activity among women at risk for gestational diabetes? Secondary analysis of a cluster randomized NELLI study in Finland. *Int J Behav Nutr Phys Act*. 2012 Sep 5;9:104. doi: 10.1186/1479-5868-9-104. PMID: 22950716; PMCID: PMC3511276.

52: Saarto T, Penttinen HM, Sievänen H, Kellokumpu-Lehtinen PL, Hakamies-Blomqvist L, Nikander R, Huovinen R, Luoto R, Kautiainen H, Järvenpää S, Idman I, Utriainen M, Vehmanen L, Jääskeläinen AS, Elme A, Ruohola J, Palva T, Vertio H, Rautalahti M, Fogelholm M, Blomqvist C, Luoma ML. Effectiveness of a 12-month exercise program on physical performance and quality of life of breast cancer survivors. *Anticancer Res*. 2012 Sep;32(9):3875-84. PMID: 22993332.

53: Nikander R, Sievänen H, Ojala K, Kellokumpu-Lehtinen PL, Palva T, Blomqvist C, Luoto R, Saarto T. Effect of exercise on bone structural traits, physical performance and body composition in breast cancer patients--a 12-month RCT. *J Musculoskelet Neuronal Interact*. 2012 Sep;12(3):127-35. PMID: 22947544.

54: Luoto R, Moilanen J, Heinonen R, Mikkola T, Raitanen J, Tomas E, Ojala K, Mansikkamäki K, Nygård CH. Effect of aerobic training on hot flushes and quality of life--a randomized controlled trial. *Ann Med*. 2012 Sep;44(6):616-26. doi: 10.3109/07853890.2011.583674. Epub 2011 Jun 3. PMID: 21639722; PMCID: PMC3469216.

55: Mansikkamäki K, Raitanen J, Nygård CH, Heinonen R, Mikkola T, EijaTomás, Luoto R. Sleep quality and aerobic training among menopausal women--a randomized controlled trial. *Maturitas*. 2012 Aug;72(4):339-45. doi: 10.1016/j.maturitas.2012.05.003. Epub 2012 Jun 4. PMID: 22673453.

56: Kolu P, Raitanen J, Rissanen P, Luoto R. Health care costs associated with gestational diabetes mellitus among high-risk women--results from a randomised trial. *BMC Pregnancy Childbirth*. 2012 Jul 24;12:71. doi: 10.1186/1471-2393-12-71. PMID: 22827919; PMCID: PMC3565864.

- 57: Mustila T, Keskinen P, Luoto R. Behavioral counseling to prevent childhood obesity--study protocol of a pragmatic trial in maternity and child health care. *BMC Pediatr.* 2012 Jul 3;12:93. doi: 10.1186/1471-2431-12-93. PMID: 22759439; PMCID: PMC3499399.
- 58: Moilanen JM, Mikkola TS, Raitanen JA, Heinonen RH, Tomas EI, Nygård CH, Luoto RM. Effect of aerobic training on menopausal symptoms--a randomized controlled trial. *Menopause.* 2012 Jun;19(6):691-6. doi: 10.1097/gme.0b013e31823cc5f7. PMID: 22334056.
- 59: Mustila T, Raitanen J, Keskinen P, Saari A, Luoto R. Lifestyle counseling during pregnancy and offspring weight development until four years of age: follow-up study of a controlled trial. *J Negat Results Biomed.* 2012 May 8;11:11. doi: 10.1186/1477-5751-11-11. PMID: 22568871; PMCID: PMC3403888.
- 60: Hilakivi-Clarke L, de Assis S, Warri A, Luoto R. Pregnancy hormonal environment and mother's breast cancer risk. *Horm Mol Biol Clin Investig.* 2012 Apr 1;9(1):11-23. doi: 10.1515/hmbci-2012-0019. PMID: 25961351.
- 61: Yli-Kuha AN, Gissler M, Klemetti R, Luoto R, Hemminki E. Cancer morbidity in a cohort of 9175 Finnish women treated for infertility. *Hum Reprod.* 2012 Apr;27(4):1149-55. doi: 10.1093/humrep/des031. Epub 2012 Feb 16. PMID: 22343550.
- 62: Lamberg S, Raitanen J, Rissanen P, Luoto R. Prevalence and regional differences of gestational diabetes mellitus and oral glucose tolerance tests in Finland. *Eur J Public Health.* 2012 Apr;22(2):278-80. doi: 10.1093/eurpub/ckq193. Epub 2010 Dec 23. PMID: 21186187.
- 63: Heinonen R, Luoto R, Lindfors P, Nygård CH. Usability and feasibility of mobile phone diaries in an experimental physical exercise study. *Telemed J E Health.* 2012 Mar;18(2):115-9. doi: 10.1089/tmj.2011.0087. Epub 2012 Jan 27. PMID: 22283356.
- 64: Mustila T, Raitanen J, Keskinen P, Saari A, Luoto R. Lifestyle counselling targeting infant's mother during the child's first year and offspring weight development until 4 years of age: a follow-up study of a cluster RCT. *BMJ Open.* 2012 Feb 3;2(1):e000624. doi: 10.1136/bmjopen-2011-000624. PMID: 22307101; PMCID: PMC3274719.
- 65: Moilanen JM, Aalto AM, Raitanen J, Hemminki E, Aro AR, Luoto R. Physical activity and change in quality of life during menopause--an 8-year follow-up study. *Health Qual Life Outcomes.* 2012 Jan 23;10:8. doi: 10.1186/1477-7525-10-8. PMID: 22269072; PMCID: PMC3311608.
- 66: Leinonen JT, Surakka I, Havulinna AS, Kettunen J, Luoto R, Salomaa V, Widén E. Association of LIN28B with adult adiposity-related traits in females. *PLoS One.* 2012;7(11):e48785. doi: 10.1371/journal.pone.0048785. Epub 2012 Nov 13. PMID: 23152804; PMCID: PMC3496729.
- 67: Luoto R. Julkaisuharha--lääketieteellisen tiedon akilleenkantapää [Publication bias--the Achilles' heel of medical research]. *Duodecim.* 2012;128(5):489-96. Finnish. PMID: 22486064.
- 68: Luoto R, Männistö S, Raitanen J. Ten-year change in the association between obesity and parity: results from the National FINRISK Population Study. *Gend Med.* 2011 Dec;8(6):399-406. doi: 10.1016/j.genm.2011.11.003. PMID: 22153883.



69: Toffol E, Heikinheimo O, Koponen P, Luoto R, Partonen T. Hormonal contraception and mental health: results of a population-based study. *Hum Reprod*. 2011 Nov;26(11):3085-93. doi: 10.1093/humrep/der269. Epub 2011 Aug 12. PMID: 21840911.

70: Penttinen HM, Saarto T, Kellokumpu-Lehtinen P, Blomqvist C, Huovinen R, Kautiainen H, Järvenpää S, Nikander R, Idman I, Luoto R, Sievänen H, Utriainen M, Vehmanen L, Jääskeläinen AS, Elme A, Ruohola J, Luoma M, Hakamies-Blomqvist L. Quality of life and physical performance and activity of breast cancer patients after adjuvant treatments. *Psychooncology*. 2011 Nov;20(11):1211-20. doi: 10.1002/pon.1837. Epub 2010 Sep 27. PMID: 20878646.

71: Kolu P, Raitanen J, Luoto R. Cost of gestational diabetes-related antenatal visits in health care based on the Finnish Medical Birth Register. *Prim Care Diabetes*. 2011 Jul;5(2):139-41. doi: 10.1016/j.pcd.2011.01.001. Epub 2011 Feb 2. PMID: 21292576.

72: Luoto R, Kinnunen TI, Aittasalo M, Kolu P, Raitanen J, Ojala K, Mansikkamäki K, Lamberg S, Vasankari T, Komulainen T, Tulokas S. Primary prevention of gestational diabetes mellitus and large-for-gestational-age newborns by lifestyle counseling: a cluster-randomized controlled trial. *PLoS Med*. 2011 May;8(5):e1001036. doi: 10.1371/journal.pmed.1001036. Epub 2011 May 17. PMID: 21610860; PMCID: PMC3096610.

73: Luoto R, Kalliomäki M, Laitinen K, Delzenne NM, Cani PD, Salminen S, Isolauri E. Initial dietary and microbiological environments deviate in normal-weight compared to overweight children at 10 years of age. *J Pediatr Gastroenterol Nutr*. 2011 Jan;52(1):90-5. doi: 10.1097/MPG.0b013e3181f3457f. PMID: 21150648.

74: Moilanen J, Aalto AM, Hemminki E, Aro AR, Raitanen J, Luoto R. Prevalence of menopause symptoms and their association with lifestyle among Finnish middle-aged women. *Maturitas*. 2010 Dec;67(4):368-74. doi: 10.1016/j.maturitas.2010.08.007. Epub 2010 Sep 24. PMID: 20869181.

75: Luoto R, Kharazmi E, Saarinen NM, Smeds AI, Mäkelä S, Fallah M, Raitanen J, Hilakivi-Clarke L. Effect of dietary intervention on serum lignan levels in pregnant women - a controlled trial. *Reprod Health*. 2010 Oct 8;7:26. doi: 10.1186/1742-4755-7-26. PMID: 20932282; PMCID: PMC2958873.

76: Luoto RM, Kinnunen TI, Aittasalo M, Ojala K, Mansikkamäki K, Toropainen E, Kolu P, Vasankari T. Prevention of gestational diabetes: design of a cluster-randomized controlled trial and one-year follow-up. *BMC Pregnancy Childbirth*. 2010 Aug 3;10:39. doi: 10.1186/1471-2393-10-39. PMID: 20682023; PMCID: PMC2923097.

77: Revonta M, Raitanen J, Sihvo S, Koponen P, Klemetti R, Männistö S, Luoto R. Health and life style among infertile men and women. *Sex Reprod Healthc*. 2010 Aug;1(3):91-8. doi: 10.1016/j.srhc.2010.06.002. Epub 2010 Jun 25. PMID: 21122604.

78: Yli-Kuha AN, Gissler M, Klemetti R, Luoto R, Koivisto E, Hemminki E. Psychiatric disorders leading to hospitalization before and after infertility treatments. *Hum Reprod*. 2010 Aug;25(8):2018-23. doi: 10.1093/humrep/deq164. Epub 2010 Jun 22. PMID: 20570970.

- 79: Pakarinen M, Raitanen J, Kaaja R, Luoto R. Secular trend in the menopausal age in Finland 1997-2007 and correlation with socioeconomic, reproductive and lifestyle factors. *Maturitas*. 2010 Aug;66(4):417-22. doi: 10.1016/j.maturitas.2010.04.005. Epub 2010 May 26. PMID: 20537824.
- 80: Luoto R, Laitinen K, Nermes M, Isolauri E. Impact of maternal probiotic-supplemented dietary counselling on pregnancy outcome and prenatal and postnatal growth: a double-blind, placebo-controlled study. *Br J Nutr*. 2010 Jun;103(12):1792-9. doi: 10.1017/S0007114509993898. Epub 2010 Feb 4. PMID: 20128938.
- 81: Kharazmi E, Fallah M, Luoto R. Miscarriage and risk of cardiovascular disease. *Acta Obstet Gynecol Scand*. 2010;89(2):284-8. doi: 10.3109/00016340903380758. PMID: 19943820.
- 82: Penttinen H, Nikander R, Blomqvist C, Luoto R, Saarto T. Recruitment of breast cancer survivors into a 12-month supervised exercise intervention is feasible. *Contemp Clin Trials*. 2009 Sep;30(5):457-63. doi: 10.1016/j.cct.2009.04.007. Epub 2009 Apr 24. PMID: 19394448.
- 83: Luoto R. Hot flushes and quality of life during menopause. *BMC Womens Health*. 2009 May 18;9:13. doi: 10.1186/1472-6874-9-13. PMID: 19450250; PMCID: PMC2689180.
- 84: Yli-Kuha AN, Gissler M, Luoto R, Hemminki E. Success of infertility treatments in Finland in the period 1992-2005. *Eur J Obstet Gynecol Reprod Biol*. 2009 May;144(1):54-8. doi: 10.1016/j.ejogrb.2008.12.017. Epub 2009 Mar 5. PMID: 19268432.
- 85: Luoto R. Kyselytutkimuksen suunnittelu [Planning of a questionnaire survey]. *Duodecim*. 2009;125(15):1647-53. Finnish. PMID: 19769181.
- 86: Haukkamaa L, Moilanen L, Kattainen A, Luoto R, Kahonen M, Leinonen M, Jula A, Kesäniemi YA, Kaaja R. Pre-eclampsia is a risk factor of carotid artery atherosclerosis. *Cerebrovasc Dis*. 2009;27(6):599-607. doi: 10.1159/000216834. Epub 2009 Apr 30. PMID: 19407443.
- 87: Lamberg S, Manninen M, Kulmala I, McLaughlin JK, Lipworth L, Pakkanen M, Luoto R. Health-related quality of life issues after cosmetic breast implant surgery in Finland. *Ann Plast Surg*. 2008 Nov;61(5):485-8. doi: 10.1097/SAP.0b013e318174f9ba. Erratum in: *Ann Plast Surg*. 2008 Dec;61(6):653. Liworth, Loren [corrected to Lipworth, Loren]. PMID: 18948771.
- 88: Aittasalo M, Pasanen M, Fogelholm M, Kinnunen TI, Ojala K, Luoto R. Physical activity counseling in maternity and child health care - a controlled trial. *BMC Womens Health*. 2008 Aug 14;8:14. doi: 10.1186/1472-6874-8-14. PMID: 18702803; PMCID: PMC2527301.
- 89: Kinnunen TI, Aittasalo M, Koponen P, Ojala K, Mansikkamäki K, Weiderpass E, Fogelholm M, Luoto R. Feasibility of a controlled trial aiming to prevent excessive pregnancy-related weight gain in primary health care. *BMC Pregnancy Childbirth*. 2008 Aug 11;8:37. doi: 10.1186/1471-2393-8-37. PMID: 18694479; PMCID: PMC2526978.
- 90: Luoto R, Kharazmi E, Whitley E, Raitanen J, Gissler M, Hemminki E. Systolic hypertension in pregnancy and cardiovascular mortality: a 44-year follow-up study. *Hypertens Pregnancy*. 2008;27(1):87-94. doi: 10.1080/10641950701826810.

PMID: 18293207.

91: Terävä AN, Gissler M, Hemminki E, Luoto R. Infertility and the use of infertility treatments in Finland: prevalence and socio-demographic determinants 1992-2004. *Eur J Obstet Gynecol Reprod Biol.* 2008 Jan;136(1):61-6. doi: 10.1016/j.ejogrb.2007.05.009. Epub 2007 Jul 20. PMID: 17640794.

92: Kinnunen TI, Pasanen M, Aittasalo M, Fogelholm M, Weiderpass E, Luoto R. Reducing postpartum weight retention--a pilot trial in primary health care. *Nutr J.* 2007 Sep 10;6:21. doi: 10.1186/1475-2891-6-21. PMID: 17825113; PMCID: PMC2048494.

93: Ketola E, Toropainen E, Kaila M, Luoto R, Mäkelä M. Prioritizing guideline topics: development and evaluation of a practical tool. *J Eval Clin Pract.* 2007 Aug;13(4):627-31. doi: 10.1111/j.1365-2753.2007.00813.x. PMID: 17683306.

94: Kinnunen TI, Pasanen M, Aittasalo M, Fogelholm M, Hilakivi-Clarke L, Weiderpass E, Luoto R. Preventing excessive weight gain during pregnancy - a controlled trial in primary health care. *Eur J Clin Nutr.* 2007 Jul;61(7):884-91. doi: 10.1038/sj.ejcn.1602602. Epub 2007 Jan 17. PMID: 17228348.

95: Kharazmi E, Fallah M, Luoto R. Cardiovascular diseases attributable to hysterectomy: a population-based study. *Acta Obstet Gynecol Scand.* 2007;86(12):1476-83. doi: 10.1080/00016340701698633. Epub 2007 Oct 4. PMID: 17917816.

96: Kharazmi E, Moilanen L, Fallah M, Kaaja R, Kattainen A, Kähönen M, Jula A, Kesaniemi A, Luoto R. Reproductive history and carotid intima-media thickness. *Acta Obstet Gynecol Scand.* 2007;86(8):995-1002. doi: 10.1080/00016340701464374. PMID: 17653887.

97: Hurskainen R, Grenman S, Komi I, Kujansuu E, Luoto R, Orrainen M, Patja K, Penttinen J, Silventoinen S, Tapanainen J, Toivonen J. Diagnosis and treatment of menorrhagia. *Acta Obstet Gynecol Scand.* 2007;86(6):749-57. doi: 10.1080/00016340701415400. PMID: 17520411.

98: Kharazmi E, Kaaja R, Fallah M, Luoto R. Pregnancy-related factors and the risk of isolated systolic hypertension. *Blood Press.* 2007;16(1):50-5. doi: 10.1080/08037050701288206. PMID: 17453752.

99: Joutsenniemi KE, Martelin TP, Koskinen SV, Martikainen PT, Härkänen TT, Luoto RM, Aromaa AJ. Official marital status, cohabiting, and self-rated health-time trends in Finland, 1978-2001. *Eur J Public Health.* 2006 Oct;16(5):476-83. doi: 10.1093/eurpub/cki221. Epub 2006 Apr 6. PMID: 16601112.

100: Hurskainen R, Grenman S, Komi I, Komulainen J, Kujansuu E, Luoto R, Orrainen M, Patja K, Penttinen J, Silventoinen S, Tapanainen J, Toivonen J. Runsaiden kuukautisvuotojen tutkimus ja hoito [Update on current care guidelines. Examination and treatment of heavy menstrual bleeding]. *Duodecim.* 2006;122(2):179-82. Finnish. PMID: 16509061.

101: Hilakivi-Clarke L, Luoto R, Huttunen T, Koskenvuo M. Pregnancy weight gain and premenopausal breast cancer risk. *J Reprod Med.* 2005 Nov;50(11):811-6. PMID: 16419626.

- 102: Simojoki M, Luoto R, Uutela A, Rita H, Boice JD Jr, McLaughlin JK, Puska P. Use of plant stanol ester margarine among persons with and without cardiovascular disease: early phases of the adoption of a functional food in Finland. *Nutr J*. 2005 Jun 1;4:20. doi: 10.1186/1475-2891-4-20. PMID: 15929790; PMCID: PMC1177987.
- 103: Kulmala I, Boice JD Jr, McLaughlin JK, Hölmich LR, Pakkanen M, Lassila K, Usenius JP, Teppo L, Kjølner K, Luoto R. A feasibility study of magnetic resonance imaging of silicone breast implants in Finland. *J Long Term Eff Med Implants*. 2005;15(1):9-14. doi: 10.1615/jlongtermeffmedimplants.v15.i1.20. PMID: 15715512.
- 104: Kaaja R, Kinnunen T, Luoto R. Regional differences in the prevalence of pre-eclampsia in relation to the risk factors for coronary artery disease in women in Finland. *Eur Heart J*. 2005 Jan;26(1):44-50. doi: 10.1093/eurheartj/ehi015. Epub 2004 Nov 30. PMID: 15615798.
- 105: Kulmala I, McLaughlin JK, Pakkanen M, Lassila K, Hölmich LR, Lipworth L, Boice JD Jr, Raitanen J, Luoto R. Local complications after cosmetic breast implant surgery in Finland. *Ann Plast Surg*. 2004 Nov;53(5):413-9. doi: 10.1097/01.sap.0000131275.62449.c8. PMID: 15502454.
- 106: Kinnunen TI, Luoto R, Gissler M, Hemminki E, Hilakivi-Clarke L. Pregnancy weight gain and breast cancer risk. *BMC Womens Health*. 2004 Oct 21;4(1):7. doi: 10.1186/1472-6874-4-7. PMID: 15498103; PMCID: PMC535935.
- 107: Luoto R, Raitanen J, Pukkala E, Anttila A. Effect of hysterectomy on incidence trends of endometrial and cervical cancer in Finland 1953-2010. *Br J Cancer*. 2004 May 4;90(9):1756-9. doi: 10.1038/sj.bjc.6601763. Erratum in: *Br J Cancer*. 2004 Nov 29;91(11):1979. PMID: 15208619; PMCID: PMC2409756.
- 108: Luoto R, Simojoki M, Uutela A, Boice JD Jr, McLaughlin JK, Puska P. Consistency of use of plant stanol ester margarine in Finland. *Public Health Nutr*. 2004 Feb;7(1):63-8. doi: 10.1079/phn2003514. PMID: 14972073.
- 109: Kinnunen TI, Luoto R, Gissler M, Hemminki E. Pregnancy weight gain from 1960s to 2000 in Finland. *Int J Obes Relat Metab Disord*. 2003 Dec;27(12):1572-7. doi: 10.1038/sj.ijo.0802471. PMID: 14517546.
- 110: Luoto R. Kuolleisuuden selvittäminen kannattaa [It is worth studying the mortality]. *Duodecim*. 2003;119(17):1688; author reply 1688. Finnish. PMID: 14587452.
- 111: Luoto R, Grenman S, Salonen S, Pukkala E. Increased risk of thyroid cancer among women with hysterectomies. *Am J Obstet Gynecol*. 2003 Jan;188(1):45-8. doi: 10.1067/mob.2003.121. PMID: 12548194.
- 112: Luoto R, Sharrett AR, Eigenbrodt M, Arnett D. Pulse pressure and age at menopause. *BMC Womens Health*. 2002 Jun 28;2(1):6. doi: 10.1186/1472-6874-2-6. PMID: 12088509; PMCID: PMC117223.
- 113: Backman T, Huhtala S, Luoto R, Tuominen J, Rauramo I, Koskenvuo M. Advance information improves user satisfaction with the levonorgestrel intrauterine system. *Obstet Gynecol*. 2002 Apr;99(4):608-13. doi: 10.1016/s0029-7844(01)01764-1. PMID: 12039121.

- 114: Laaksonen M, Luoto R, Helakorpi S, Uutela A. Associations between health-related behaviors: a 7-year follow-up of adults. *Prev Med.* 2002 Feb;34(2):162-70. doi: 10.1006/pmed.2001.0965. PMID: 11817911.
- 115: Luoto R. Re: "Risk factors for uterine leiomyoma: a practice-based case-control study. II. Atherogenic risk factors and potential sources of uterine irritation". *Am J Epidemiol.* 2002 Jan 15;155(2):187-8. doi: 10.1093/aje/155.2.187. PMID: 11790683.
- 116: Hilakivi-Clarke L, Forsén T, Eriksson JG, Luoto R, Tuomilehto J, Osmond C, Barker DJ. Tallness and overweight during childhood have opposing effects on breast cancer risk. *Br J Cancer.* 2001 Nov 30;85(11):1680-4. doi: 10.1054/bjoc.2001.2109. PMID: 11742488; PMCID: PMC2363976.
- 117: Anttolainen M, Luoto R, Uutela A, Boice JD Jr, Blot WJ, McLaughlin JK, Puska P. Characteristics of users and nonusers of plant stanol ester margarine in Finland: an approach to study functional foods. *J Am Diet Assoc.* 2001 Nov;101(11):1365-8. doi: 10.1016/S0002-8223(01)00327-3. PMID: 11716321.
- 118: Luoto R, Rutanen EM, Auvinen A. Fibroids and hypertension. A cross-sectional study of women undergoing hysterectomy. *J Reprod Med.* 2001 Apr;46(4):359-64. PMID: 11354837.
- 119: Backman T, Huhtala S, Tuominen J, Luoto R, Erkkola R, Blom T, Rauramo I, Koskenvuo M. Sixty thousand woman-years of experience on the levonorgestrel intrauterine system: an epidemiological survey in Finland. *Eur J Contracept Reprod Health Care.* 2001;6 Suppl 1:23-6. doi: 10.3109/ejc.6.s1.23.26. PMID: 25104511.
- 120: Backman T, Huhtala S, Tuominen J, Luoto R, Erkkola R, Blom T, Rauramo I, Koskenvuo M. Sixty thousand woman-years of experience on the levonorgestrel intrauterine system: an epidemiological survey in Finland. *Eur J Contracept Reprod Health Care.* 2001 Jan;6 Suppl 1:23-6. PMID: 11336430.
- 121: Luoto R, Kaprio J, Rutanen EM, Taipale P, Perola M, Koskenvuo M. Heritability and risk factors of uterine fibroids--the Finnish Twin Cohort study. *Maturitas.* 2000 Nov 30;37(1):15-26. doi: 10.1016/s0378-5122(00)00160-2. PMID: 11099869.
- 122: Luoto R, Uutela A, Puska P. Occasional smoking increases total and cardiovascular mortality among men. *Nicotine Tob Res.* 2000 May;2(2):133-9. doi: 10.1080/713688127. PMID: 11072451.
- 123: Luoto R, Manolio T, Meilahn E, Bhadelia R, Furberg C, Cooper L, Kraut M. Estrogen replacement therapy and MRI-demonstrated cerebral infarcts, white matter changes, and brain atrophy in older women: the Cardiovascular Health Study. *J Am Geriatr Soc.* 2000 May;48(5):467-72. doi: 10.1111/j.1532-5415.2000.tb04990.x. PMID: 10811537.
- 124: Backman T, Huhtala S, Blom T, Luoto R, Rauramo I, Koskenvuo M. Length of use and symptoms associated with premature removal of the levonorgestrel intrauterine system: a nation-wide study of 17,360 users. *BJOG.* 2000 Mar;107(3):335-9. doi: 10.1111/j.1471-0528.2000.tb13228.x. PMID: 10740329.
- 125: Luoto R, Latikka P, Pukkala E, Hakulinen T, Vihko V. The effect of physical activity on breast cancer risk: a cohort study of 30,548 women. *Eur J Epidemiol.* 2000;16(10):973-80. doi: 10.1023/a:1010847311422. PMID: 11338130.

- 126: Luoto R, Sharrett AR, Schreiner P, Sorlie PD, Arnett D, Ephross S. Blood pressure and menopausal transition: the Atherosclerosis Risk in Communities study (1987-95). *J Hypertens*. 2000 Jan;18(1):27-33. doi: 10.1097/00004872-200018010-00005. PMID: 10678540.
- 127: Kleemola P, Puska P, Vartiainen E, Roos E, Luoto R, Ehnholm C. The effect of breakfast cereal on diet and serum cholesterol: a randomized trial in North Karelia, Finland. *Eur J Clin Nutr*. 1999 Sep;53(9):716-21. doi: 10.1038/sj.ejcn.1600849. PMID: 10509768.
- 128: Topo P, Luoto R, Hemminki E, Uutela A. Declining socioeconomic differences in the use of menopausal and postmenopausal hormone therapy in Finland. *Maturitas*. 1999 Aug 16;32(3):141-5. doi: 10.1016/s0378-5122(99)00027-4. PMID: 10515670.
- 129: Luoto R, Poikolainen K, Uutela A. Unemployment, sociodemographic background and consumption of alcohol before and during the economic recession of the 1990s in Finland. *Int J Epidemiol*. 1998 Aug;27(4):623-9. doi: 10.1093/ije/27.4.623. PMID: 9758116.
- 130: Luoto R, Männistö S, Vartiainen E. Hormone replacement therapy and body size: how much does lifestyle explain? *Am J Obstet Gynecol*. 1998 Jan;178(1 Pt 1):66-73. doi: 10.1016/s0002-9378(98)70629-5. PMID: 9465806.
- 131: Luoto R, Prättälä R, Uutela A, Puska P. Impact of unhealthy behaviors on cardiovascular mortality in Finland, 1978-1993. *Prev Med*. 1998 Jan-Feb;27(1):93-100. doi: 10.1006/pmed.1997.0249. PMID: 9465359.
- 132: Luoto R, Auvinen A, Pukkala E, Hakama M. Hysterectomy and subsequent risk of cancer. *Int J Epidemiol*. 1997 Jun;26(3):476-83. doi: 10.1093/ije/26.3.476. PMID: 9222770.
- 133: Luoto R, Keskimäki I, Reunanen A. Socioeconomic variations in hysterectomy: evidence from a linkage study of the Finnish hospital discharge register and population census. *J Epidemiol Community Health*. 1997 Feb;51(1):67-73. doi: 10.1136/jech.51.1.67. PMID: 9135791; PMCID: PMC1060412.
- 134: Rutanen EM, Luoto R. Tehdäänkö suomessa liikaa kohdunpoistoja? [Is the number of hysterectomies in Finland too high?]. *Duodecim*. 1996;112(1):11-4. Finnish. PMID: 10590595.
- 135: Luoto R, Kaprio J, Reunanen A, Rutanen EM. Cardiovascular morbidity in relation to ovarian function after hysterectomy. *Obstet Gynecol*. 1995 Apr;85(4):515-22. doi: 10.1016/0029-7844(94)00456-N. PMID: 7898826.
- 136: Luoto R, Rutanen EM, Kaprio J. Five gynecologic diagnoses associated with hysterectomy--trends in incidence of hospitalizations in Finland, 1971-1986. *Maturitas*. 1994 Aug;19(2):141-52. doi: 10.1016/0378-5122(94)90064-7. PMID: 7968647.
- 137: Luoto R, Pekkanen J, Uutela A, Tuomilehto J. Cardiovascular risks and socioeconomic status: differences between men and women in Finland. *J Epidemiol Community Health*. 1994 Aug;48(4):348-54. doi: 10.1136/jech.48.4.348. PMID: 7964332; PMCID: PMC1059982.

138: Luoto R, Kaprio J, Keskimäki I, Pohjanlahti JP, Rutanen EM. Incidence, causes and surgical methods for hysterectomy in Finland, 1987-1989. *Int J Epidemiol.* 1994 Apr;23(2):348-58. doi: 10.1093/ije/23.2.348. PMID: 8082962.

139: Luoto R, Kaprio J, Uutela A. Age at natural menopause and sociodemographic status in Finland. *Am J Epidemiol.* 1994 Jan 1;139(1):64-76. doi: 10.1093/oxfordjournals.aje.a116936. PMID: 8296776.

140: Luoto R, Hemminki E, Topo P, Uutela A, Kangas I. Hysterectomy among Finnish women: prevalence and women's own opinions. *Scand J Soc Med.* 1992 Dec;20(4):209-12. doi: 10.1177/140349489202000404. PMID: 1475647.